

Section 1: Identification**Product Identifiers**

Product name **Aron Alpha Type 801**
Product number AA721, 722, 727

Recommended use of & restrictions on use
Adhesive

Emergency telephone number
CHEMTREC (800) 424-9300

Manufacturer's Information

Manufacturer's Name

Toagosei America Inc.
1450 West Main Street
West Jefferson, OH 43162

Telephone: (614) 879-9411

Section 2 – Hazard Identification

Classification of the substance or mixture

Classification according to 1910.1200:

Serious Eye Damage/ Eye Irritation	Category 2A
Reproductive Toxicity	Category 1B

Label Elements

**Pictograms**

Exclamation mark Health hazard

Signal word DANGER

Hazard statements

Causes serious eye irritation
May damage fertility or the unborn child

Precautionary statements*Prevention*

Wash hands thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

If exposed or concerned: Get medical advice/attention.

Storage

Store in a cool, well-ventilated place and keep container tightly closed. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards Not Otherwise Classified

Rapid polymerization will occur on skin with heat. If a quantity is large, skin burn may occur.

Section 3 – Composition/Information on Ingredients

Chemical Name	Common Name/Synonyms	CASRN	Concentration %
Ethoxyethyl 2-Cyanoacrylate		21982-43-4	>99

*Hazardous ingredients related to the classification: 2-Ethoxyethanol (CASRN: 110-80-5) <1%

*Nonhazardous ingredients are not listed and make up the balance of the product.

Section 4 – First-Aid Measures

Description of first aid measures

Ingestion: Ensure airways are not obstructed. The product will polymerize upon contact with the mouth and be almost impossible to swallow. Saliva will slowly separate the product from the mouth. Do not induce vomiting. Immediately contact poison control center or hospital emergency room.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Call a physician.

Skin: Wash material off the skin with plenty of water. If skin bonding occurs, soak in nail polish remover, acetone or warm water and carefully peel or roll the skin apart (do not pull).

Eyes: If eye contact occurs, hold eyelid open and rinse thoroughly but gently with only water for 15 minutes and GET MEDICAL ATTENTION. Do not use any solvents to flush the eye and its surroundings. Liquid glue will sting eye temporarily. Solidified glue may irritate like a grain of sand and should be treated by an eye doctor.

Most important symptoms/effects, acute and delayed: Described in Section 2 and 11.

Indication of immediate medical attention & special treatment needed. - No data available.

Section 5 – Fire-Fighting Measures

Extinguishing media

Suitable – Use dry chemical, water spray or carbon dioxide (CO₂) to extinguish fire.

Unsuitable – No data available.

Special hazards arising from the chemical – Carbon oxides, nitrogen oxides

Special protective equipment and precautions for fire-fighters – Self-contained breathing apparatus with face piece and protective clothing if involved in a fire of other materials.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personal. Avoid breathing vapors. Ventilate area. Eliminate all sources of ignition.

Environmental Precautions

Prevent entry into natural bodies of water.

Methods and materials for containment and clean up

Containment – Material may be taken up on sand or clay absorbent. Wipe and soak up with an absorbent material and remove to a chemical disposal area.

Clean-up – Eliminate all sources of ignition. Keep absorbent in a suitable, closed container and dispose of according to local regulations.

Section 7 – Handling and Storage

Precautions for safe handling

Bonds skin instantly. Keep away from skin and eyes. Avoid breathing vapors. Keep away from ignition sources. Prevent build up of electrostatic charge. Wash thoroughly after handling.

Conditions for safe storage

Store in a cool, dry area away from sun and heat. Keep containers tightly closed. Exposure to small amounts, even air, causes polymerization and renders the product unusable. Keep away from heat, sparks, flames and other ignition sources.

Store in separated place from any accelerator/Setter for Alon Alpha (cyanoacrylate).

Incompatibilities: Keep away from amines.

Section 8 – Exposure Controls/Personal Protection

Exposure guidelines

Component	NIOSH			ACGIH	OSHA
	TWA	IDLH	STEL	TWA	TWA
Ethoxyethyl 2-Cyanoacrylate	N.E.	N.E.	N.E.	N.E.	N.E.
2-Ethoxyethanol	0.5 ppm 1.8 mg/m ³	500 ppm	-	5 ppm Skin	(Vacated) TWA: 200 ppm (Vacated) TWA: 740 mg/m ³ Skin TWA: 200 ppm TWA: 740 mg/m ³

N. E. = Not Established

Engineering controls

The following exposure control techniques may be used to effectively minimize employee exposure: local exhaust ventilation, enclosed system design, process isolation and remote control in combination with appropriate use of personal protective equipment and prudent work practices.

These techniques may not necessarily address all issues pertaining to your operations. We, therefore, recommend that you consult with experts of your choice to determine whether or not your programs are adequate.

Personal protective equipment

Eye/face protection – Wear safety goggles.

Skin protection – Wear impervious gloves as required to prevent skin contact.

Respiratory protection – Where air contaminants can exceed criteria, use NIOSH approved respiratory protection equipment.

Section 9 – Physical and Chemical Properties

- | | |
|--|---|
| a) Appearance: Clear, colorless liquid | i) Flammability: No data available |
| b) Odor: Irritating | j) Upper/lower flammability or explosive limits: No data available |
| c) Odor threshold: No data available | k) Vapor pressure: 0.01 (mmHg @ 20°C), 1.33 (Pa @ 20°C) |
| d) pH: No data available | l) Vapor density: >1 |
| e) Melting point/freezing point: - 22°C/-7°F | m) Relative density: 1.01 g/cm ³ (Water = 1 @ 25°C) |
| f) Initial boiling point and boiling range: 190°C/374°F | n) Solubility: Insoluble in water (causes rapid polymerization) |
| g) Flash point: 115°C/239°F | |
| h) Evaporation rate: No data available | |

- o) **Partition coefficient:** No data available
- p) **Auto-ignition temperature:** No data available

- q) **Decomposition temperature:** No data available
- r) **Viscosity:** 10 cps @ 25°C
- s) **VOC content:** 0 g/L (SCAQMD Method 316B)

Section 10 – Stability and Reactivity

Reactivity – No data available

Chemical stability – Stable under recommended storage conditions

Possibility of hazardous reactions – No data available

Conditions to avoid – High humidity, high temperatures, ultraviolet rays

Incompatible materials – Water, alcohol, basic compounds such as amines

Hazardous decomposition products – CO, CO₂, Nitrogen oxides

Section 11 – Toxicological Information

Information on likely routes of exposure

Inhalation – May cause irritation.

Ingestion - May be harmful if swallowed.

Skin – Bonds skin instantly.

Eye – Causes serious eye irritation.

Symptoms related to physical, chemical and toxicological characteristics

No data available.

Delayed and immediate effects & also chronic effects from short- & long-term exposure**Numerical measures of toxicity**

Containing 2-Ethoxyethanol classified as Category 1B, (<1.0%)

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Ethoxyethanol	LD50 = 2800 mg/kg (Rat) LD50 = 1400 mg/kg (Guinea pig)	LD50 = 3300 mg/kg (Rabbit)	LC50 = 4267 ppm (Rat) 4 h

Carcinogenicity

NTP – No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC – No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by IARC.

OSHA – No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

ACGIH – No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Section 12 – Ecological Information

Ecotoxicity

Containing 2-Ethoxyethanol classified as Category 1B (<1.0%)

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
2-Ethoxyethanol	EC50: > 1000 mg/L, 72h (Desmodesmus subspicatus)	LC50: > 10000 mg/L, 96h static (Lepomis macrochirus)	EC50 = 430 mg/L 30 min	EC50: > 10000 mg/L, 48h (Daphnia magna)

Persistence and degradability – No data available.

Bioaccumulative potential – No data available.

Mobility in soil – No data available.

Other adverse effects – No data available.

Section 13 – Disposal Considerations

Disposal should be in accordance with applicable local, regional and national laws and regulations.

Contaminated packaging – Dispose of as unused product.

Section 14 – Transport Information

UN number – Not a dangerous good.

UN proper shipping name – Not applicable.

Transport hazard class(es) – Not applicable.

Environmental hazards – No data available.

Transport in bulk – No data available.

Special precautions – No data available.

Section 15 – Regulatory Information

US Federal Regulations

SARA Title III: Section 311/312

Fire hazard
Immediate Health Hazard

SARA Title III: Section 313 & 40 CFR Part 372

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986, and Subpart C-Supplier Notification Requirement of 40 CFR Part 372.

None required per SARA Title III Section 313

TSCA Section 8(b) Inventory

All reportable chemical substances are listed on the TSCA inventory. We rely on certifications of compliance from our suppliers for chemical substances not manufactured by us.

California Prop. 65

WARNING: This product can expose you to chemicals including 2-ethoxyethanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to: www.P65Warnings.ca.gov/

Component	CAS Number	California Prop 65
2-ethoxyethanol	110-80-5	Developmental Male Reproductive

Canadian Regulations

Canadian Environmental Protection Act (CEPA)

All reportable chemical substances are listed on the Domestic Substance List (DSL) or otherwise comply with CEPA new substance notification requirements.

National Pollutant Release Inventory

This product contains the following chemical(s) subject to the reporting requirements of the Canadian Environmental Protection Act (CEPA) subsection 16 (1), National Pollutant Release Inventory.

None

Section 16 – Other Information

Version 2.1 Revised 10/17/23 Printed: 10/17/2023

To the best of our knowledge, the information contained herein is accurate. However, neither Toagosei America Ltd. nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.